

The listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1-5. (Canceled)

6. (Previously Presented) A display device comprising:

a pair of substrates;

a liquid crystal layer provided between said pair of substrates and comprising a nematic liquid crystal; and

a pair of orientation films provided adjacent to and between said pair of substrates respectively and having antiparallel orientation directions to each other,

wherein said orientation films have a surface tension of 40 dyne/cm or more, and

wherein spacing between said substrates is less than 3.5 $\mu$ m.

7. (Currently Amended) A device according to claim 6 wherein each of said orientation films comprises [a] polyimide.

8. (Original) A device according to claim 6 wherein said display device is a reflection-type display device.

9. (Currently Amended) A device according to claim 6 further comprising:

a first electrode provided ~~over~~ on one of said substrates; and

a second electrode provided ~~over~~ on the other of said substrates.

10. (Original) A device according to claim 6 wherein said nematic liquid crystal has a positive dielectric anisotropy.

11. (Original) A device according to claim 6 wherein said orientation directions are rubbing directions.

12. (Previously Presented) A display device comprising:

a pair of substrates;

a liquid crystal layer provided between said pair of substrates and comprising a nematic liquid crystal, said liquid crystal comprising molecules aligned substantially in one direction throughout a thickness of said liquid crystal layer; and

a pair of orientation films provided adjacent to and between said pair of substrates respectively and having antiparallel orientation directions to each other,

wherein said orientation films have a surface tension of 40 dyne/cm or more, and

wherein spacing between said substrates is less than 3.5 $\mu$ m.

13. (Currently Amended) A device according to claim 12 wherein each of said orientation films comprises [a] polyimide.

14. (Original) A device according to claim 12 wherein said display device is a reflection-type display device.

15. (Currently Amended) A device according to claim 12 further comprising:

a first electrode provided ~~over~~ on one of said substrates; and

a second electrode provided ~~over~~ on the other of said substrates.

16. (Original) A device according to claim 12 wherein said nematic liquid crystal has a positive dielectric anisotropy.

17. (New) A display device comprising:

a pair of substrates;

a liquid crystal layer provided between said pair of substrates and comprising a nematic liquid crystal; and

a pair of orientation films provided adjacent to and between said pair of substrates respectively and having antiparallel orientation directions to each other, and wherein spacing between said substrates is less than 3.5 $\mu$ m.

18. (New) A device according to claim 17 wherein each of said orientation films comprises polyimide.

19. (New) A device according to claim 17 wherein said display device is a reflection-type display device.

20. (New) A device according to claim 17 further comprising:  
a first electrode provided on one of said substrates; and  
a second electrode provided on the other of said substrates.

21. (New) A device according to claim 17 wherein said nematic liquid crystal has a positive dielectric anisotropy.

22. (New) A device according to claim 17 wherein said orientation directions are rubbing directions.